

Аксессуары

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ezo@nt-rt.ru || сайт: <https://lenz.nt-rt.ru/>



Alu rings with hooks

For cones and sockets to be used with springs, for the safe connection of conical ground joints, no breakage of glass hooks


| For ground joints (NS) | Pack (quantity) | Cat. No. |
|------------------------|-----------------|-----------|
| 12/21 - 14/23 | 10 | 1 1025 14 |
| 19/26 - 24/29 | 10 | 1 1025 19 |
| 29/32 - 34/35 | 10 | 1 1025 29 |
| 45/40 | 10 | 1 1025 45 |



Screwthread tubes with NS cone, cap and sealing

Screw thread adapters , made of DURAN® tubing, with screw-cap with aperture and silicone sealing ring with PTFE washers


| Cone (NS) | Thread (GL) | For tubing dia (mm) | Pack (quantity) | Cat. No. |
|-----------|-------------|---------------------|-----------------|-----------|
| 14/23 | 14 | 5,5-6,5 | 1 | 1 3014 14 |
| 19/26 | 14 | 5,5-6,5 | 1 | 1 3014 19 |
| 24/29 | 14 | 5,5-6,5 | 1 | 1 3014 24 |
| 29/32 | 14 | 5,5-6,5 | 1 | 1 3014 29 |
| 14/23 | 18 | 7,5-9 | 1 | 1 3018 14 |
| 19/26 | 18 | 7,5-9 | 1 | 1 3018 19 |
| 29/32 | 18 | 7,5-9 | 1 | 1 3018 29 |
| 29/32 | 25 | 9-11 | 1 | 1 3025 29 |
| 29/32 | 32 | 13-15 | 1 | 1 3032 29 |



Silicone rubber sealings, Septa

For piercing, for screw caps with bore, material: silicone (VMQ)

| For thread (GL) | Outer dia.(mm) | Thickness (mm) | Pack (quantity) | Cat. No. |
|-----------------|----------------|----------------|-----------------|-----------|
| 14 | 12 | 2 | 100 | 1 3412 14 |
| 18 | 16 | 2 | 100 | 1 3416 18 |
| 25 | 22 | 2 | 100 | 1 3422 25 |
| 32 | 29 | 2 | 100 | 1 3429 32 |
| 45 | 42 | 3 | 100 | 1 3442 45 |



Silicone sealing rings

For screw caps with bore, material: silicone rubber (VMQ) with PTFE face


| For thread (GL) | Outer dia.(mm) | Bore(mm) | For tubing Ø (mm) | Pack (qty.) | Cat. No. |
|-----------------|----------------|----------|-------------------|-------------|-----------|
| 14 | 12 | 6 | 5,5-6,5 | 10 | 1 3314 06 |
| 18 | 16 | 6 | 5,5-6,5 | 10 | 1 3318 06 |
| 18 | 16 | 8 | 7,5-9,0 | 10 | 1 3318 08 |
| 18 | 16 | 10 | 9,0-11,0 | 10 | 1 3318 10 |
| 25 | 22 | 8 | 7,5-9,0 | 10 | 1 3325 08 |
| 25 | 22 | 10 | 9,0-11,0 | 10 | 1 3325 10 |
| 25 | 22 | 12 | 11,0-13,0 | 10 | 1 3325 12 |
| 32 | 29 | 10 | 9,0-11,0 | 10 | 1 3332 10 |
| 32 | 29 | 12 | 11,0-13,0 | 10 | 1 3332 12 |
| 32 | 29 | 14 | 13,0-15,0 | 10 | 1 3332 14 |
| 32 | 29 | 16 | 15,0-17,0 | 10 | 1 3332 16 |
| 32 | 29 | 18 | 17,0-19,0 | 10 | 1 3332 18 |
| 45 | 42 | 26 | 25,0-27,0 | 10 | 1 3345 26 |
| 45 | 42 | 32 | 31,0-33,0 | 10 | 1 3345 32 |



Sleeves with grip collar, PTFE

Outstanding chemical resistance at operating temperatures from -200 to +260 °C, sturdy design for permanent use, with grip collar and sealing rings for excellent tightness

| For ground joints (NS) | Pack (quantity) | Cat. No. |
|------------------------|-----------------|-----------|
| 14/23 | 1 | 1 1017 14 |
| 19/26 | 1 | 1 1017 19 |
| 24/29 | 1 | 1 1017 24 |
| 29/32 | 1 | 1 1017 29 |
| 45/40 | 1 | 1 1017 45 |



Springs

For alu rings with hooks to connect conical ground joints safely, stainless steel, two rings

| Total length(mm) | Pack (quantity) | Cat. No. |
|------------------|-----------------|-----------|
| 25 | 10 | 1 1028 25 |
| 35 | 10 | 1 1028 35 |
| 40 | 10 | 1 1028 40 |
| 60 | 10 | 1 1028 60 |



Disposable ground joint sleeves, PTFE

Outstanding chemical resistance at operating temperatures from -200 to +260 °C, only 50 µm thickness, the sleeves fit like a second skin without adding bulk, without grip collar, simplifying use of joint clips

| For ground joints (NS) | Pack (quantity) | Cat. No. |
|------------------------|-----------------|-----------|
| 14/23 | 10 | 1 1015 14 |
| 19/26 | 10 | 1 1015 19 |
| 24/29 | 10 | 1 1015 24 |
| 29/32 | 10 | 1 1015 29 |
| 45/40 | 10 | 1 1015 45 |



Plastic hose connectors, bent

For screw caps with bore, material: PP

| For Thread (GL) | Pack (quantity) | Cat. No. |
|-----------------|-----------------|-----------|
| 14 | 10 | 1 3600 00 |
| 18 | 10 | 1 3600 01 |



Plastic hose connectors, straight

For screw caps with bore, material: PP

| For Thread (GL) | Pack (quantity) | Cat. No. |
|-----------------|-----------------|-----------|
| 14 | 10 | 1 3500 00 |
| 18 | 10 | 1 3500 01 |



Screw caps for screwthread tubes

With DIN thread (GL), with aperture, material: PBT, colour: red, temperature resistant up to 180 °C

| Thread (GL) | Bore (mm) | Pack (quantity) | Cat. No. |
|-------------|-----------|-----------------|-----------|
| 14 | 9,5 | 10 | 1 3210 14 |
| 18 | 11 | 10 | 1 3210 18 |
| 25 | 15 | 10 | 1 3210 25 |
| 32 | 20 | 10 | 1 3210 32 |
| 45 | 34 | 10 | 1 3210 45 |



Screw caps for screwthread tubes

With DIN thread (GL), temperature resistant up to 180 °C, with PTFE coated silicone sealing (VMQ), material: PBT, colour: red

| Thread (GL) | Pack (quantity) | Cat. No. |
|-------------|-----------------|-----------|
| 14 | 10 | 1 3200 14 |
| 18 | 10 | 1 3200 18 |
| 25 | 10 | 1 3200 25 |
| 32 | 10 | 1 3200 32 |
| 45 | 10 | 1 3200 45 |



Screw couplings for screwthread tubes

For flexible coupling of two glass threads (GL), temperature resistant up to 180 °C, material: PBT, colour: red

| Thread (GL) | Pack (quantity) | Cat. No. |
|-------------|-----------------|-----------|
| 14 | 1 | 1 3215 14 |
| 18 | 1 | 1 3215 18 |
| 25 | 1 | 1 3215 25 |
| 32 | 1 | 1 3215 32 |



Screwthread tubes for glassblowers

Acc. to DIN 12216 and in addition to standard, with DIN thread (GL), made of DURAN® tubing

| Thread (GL) | Dia. (mm) | Wall thickness (mm) | Total length (mm) | Acc. to DIN | Pack (quantity) | Cat. No. |
|-------------|-----------|---------------------|-------------------|-------------|-----------------|-----------|
| 14 | 12 | 1,5 | 120 | DIN 12216 | 10 | 1 3000 14 |
| 18 | 16 | 1,8 | 100 | DIN 12216 | 10 | 1 3000 18 |
| 25 | 22 | 1,8 | 100 | DIN 12216 | 10 | 1 3000 25 |
| 32 | 28 | 2,0 | 140 | DIN 12216 | 10 | 1 3000 32 |
| 45 | 40 | 2,3 | 180 | — | 10 | 1 3000 45 |



Screwthread tubes with NS cone

Acc. to DIN 12257 and in addition to standard, with DIN thread (GL) and cone (NS), made of DURAN® tubing

| Cone (NS) | Thread (GL) | Acc. to DIN | Pack (quantity) | Cat. No. |
|-----------|-------------|-------------|-----------------|-----------|
| 14/23 | 14 | DIN 12257 | 1 | 1 3114 14 |
| 19/26 | 14 | DIN 12257 | 1 | 1 3114 19 |
| 24/29 | 14 | — | 1 | 1 3114 24 |
| 29/32 | 14 | — | 1 | 1 3114 29 |
| 14/23 | 18 | — | 1 | 1 3118 14 |
| 19/26 | 18 | DIN 12257 | 1 | 1 3118 19 |
| 24/29 | 18 | — | 1 | 1 3118 24 |
| 29/32 | 18 | DIN 12257 | 1 | 1 3118 29 |
| 14/23 | 25 | — | 1 | 1 3125 14 |
| 19/26 | 25 | — | 1 | 1 3125 19 |
| 24/29 | 25 | — | 1 | 1 3125 24 |
| 29/32 | 25 | DIN 12257 | 1 | 1 3125 29 |
| 29/32 | 32 | DIN 12257 | 1 | 1 3132 29 |

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ezo@nt-rt.ru || сайт: <https://lenz.nt-rt.ru/>